Title: From Static Envelope to Adaptive Skins
Reoccurring Novelties in Façade Education, Industry and
Kinetic **Author:** ERJON ÇOBANI
Source: Forum A+P 30 | Recurring Novelties
ISSN: 2227-7994
DOI: 10.37199/F40002969
Publisher: POLIS University Press

From Static Envelope to Adaptive Skins Reoccurring Novelties in Façade Education, Industry and Kinetic

ERJON ÇOBANI
POLIS University

Introduction

Architecture keeps rediscovering the façade as though it were new. From masonry walls to curtain walls, from double-skin envelopes to kinetic and responsive systems, each period seems to introduce a new way of mediating between building and environment. And yet the questions behind these innovations remain remarkably persistent: how does architecture negotiate climate, light, view, protection, structure, material economy, and human comfort? This text reflects on these questions through the experience of the workshop "Façade technology as the main cover of the building", run during Tirana Architecture Week 2024 with second-year Bachelor students of Civil Engineering at POLIS University, in cooperation with ALUMIL Albania.

Rather than treating the workshop as a closed pedagogical event, this reflection reads it as a threshold between three interconnected domains: façade education, industrial knowledge, and ongoing research into adaptive building skins. Across lectures, technical presentations, a factory visit, a construction-site visit and group work, students encountered the façade not as a flat architectural image, but as a layered system of profiles, joints, glass, thermal breaks, acoustic performance, cost, installation time, and structural behavior. This contact with the material and industrial reality of façade production becomes essential once the conversation moves toward more speculative territory as kinetic façades, tensegrity-based systems, fractal geometries.

The central argument is that the passage from static envelope to adaptive skin should not be understood as a rupture with conventional construction culture – quite the opposite. Future adaptive façades depend on a renewed, deepened understanding of the existing systems. Kinetic movement, tensegrity equilibrium, and fractal repetition can each be read as a reoccurring novelty: a contemporary reformulation of older architectural concerns about enclosure, lightness, rhythm, adaptability, and environmental mediation. In that sense, the workshop becomes simultaneously a teaching experience and a conceptual seed for future façade research.

The Façade That Keeps Returning

Architecture repeatedly returns to the façade. It comes back to it as surface, as limit, as image, as climatic device, as technical assembly, and as cultural statement. Few architectural elements carry so many responsibilities while looking, at first glance, so simple. The façade is what the city sees – but it is also what the building uses to breathe, resist, filter, illuminate, shade, and perform, usually all at once and without anyone noticing the effort involved. This double condition explains why the façade is such grounded subject for a theme like "Reoccurring Novelties". Every generation likes to believe its façade technologies are unprecedented. Glass walls, ventilated façades, double skins, intelligent envelopes, responsive systems, kinetic surfaces – each gets presented, in its moment, as a sign of progress. But scratch the surface (an unavoidable pun, in this case) and the deeper ambition is not new at all. These innovations revisit old architectural questions with new tools. A shutter operated by hand and a kinetic screen driven by sensors come from entirely different technological worlds, yet both answer to the same architectural instinct: to adjust the relationship between interior life and exterior conditions. The contemporary discourse on adaptive architecture has stretched that instinct further than ever. Buildings are no longer expected merely to stand, protect, and represent; they are increasingly expected to react. Kinetic and interactive systems introduce movement into architecture, transforming the envelope into an active interface rather than a fixed separator

(Fox & Kemp, 2009; Moloney, 2011). Still, no adaptive skin can be understood through movement alone. Before a façade can move intelligently, it first has to be built intelligently. That is where education, industry, and research meet.

Learning The Envelope Through Its Details

The workshop "Façade technology as the main cover of the building" was developed during Tirana Architecture Week 2024 with second-year bachelor students of Civil Engineering at POLIS University, in cooperation with ALUMIL Albania. Even the title carried a pedagogical stance worth pausing on: the façade was not introduced as decoration but as the building's primary covering system. It was treated, from the outset, as a constructive and performative layer rather that a pretty visual elevation.

The workshop was organized over five days, moving between syllabus presentation, technical lectures, a factory visit, a glass façade presentation, construction-site visit, student presentations, and final evaluation. The sequencing mattered more than it might appear on paper. It carried students from terminology to observation, from products to processes, and only then from technical information to critical interpretation. In the classroom, students were introduced to window and glass façade systems – their uses, technical details, costs, installation time, and performance criteria. The assignment required them to also analyze selected ALUMIL systems, present their findings in groups, and work through technical aspects such as thermal and acoustic behavior, system typologies, profile characteristics, and moment of inertia. Next to the often-spectacular language surrounding façade innovation, tasks like these can look modest, even a little dry. Yet they represent the exact ground on which meaningful









Figure 1: Opening session of the workshop at POLIS University, introducing the syllabus, objectives and collaboration framework. (Image © POLIS University / ALUMIL Albania / Author)

innovation has to stand on – there is no shortcut around it.A façade is never just a drawing. It is a negotiated agreement between design intention and material possibility. It is a layered system made of profiles, glass layers, gaskets, anchors, screws, tolerances, drainage paths, thermal bridges, coatings, and installation sequences. Textbooks on façade construction are insistent on this point: the envelope has to be understood as a coordinated assembly, its performance as function of how the parts relate to one another (Knaack et al., 2007). For civil engineering students specifically, this is especially relevant, because it shifts the façade from the realm of appearance into the realm of measurable behavior.

The Factory As An Architectural Classroom

The factory visit was one of the workshop's central moments – arguably its center of gravity. It displaced learning from the academic room into the industrial environment, where students could observe façade components being produced, processed, tested, stored, and prepared for application. This matters because construction education often gets stuck between abstract calculation on one side and the finished architectural image on the other, with nothing in between. The factory interrupts both. It shows that between drawing and building lies a dense, unglamorous world of machines, profiles, materials, labor, logistics, and quality control – the part of work that rarely makes it into the magazine spread.

For the students, the façade became legible as a product of precision. The apparent lightness of glass depends entirely on the accuracy of the aluminum profiles holding it. The



Figure 2: Students during the factory visit at ALUMIL Albania, observing production processes, façade samples, and system components. (Image © POLIS University / ALUMIL Albania / Author)

transparency of an opening depends on hidden elements that seal, support, connect, and drain – none of which anyone is meant to notice. The elegance of a finished façade is decided long before installation. The building looks effortless precisely because none of this was.

This kind of knowledge is not a side note to architectural thinking – it is one of its conditions. The more advanced the façade, the more its technical reliability matters. This is particularly true for adaptive envelopes, where movement adds its own layer of questions around durability, maintenance, control, energy use, safety, and long-term performance. A kinetic façade that ignores production logic remains a beautiful diagram, nothing more. A responsive skin that cannot be assembled, repaired, or afforded is an image of innovation, not innovation itself.

The site as a place of negotiation

The construction-site visit completed the workshop's pedagogical triangle. If the classroom supplied principles and the factory revealed production, the site exposed the complexity of application. On site, façade systems have to

negotiate with structure, weather, workmanship, dimensional tolerances, construction sequence, safety requirements, and time pressure – all the variables a catalogue cannot anticipate. Here the façade stops being a system in a binder and becomes an architectural event, with all the improvisation that implies.



Figure 3: Site visit with students observing installed façade materials and applied building-envelope systems. (Image © POLIS University / ALUMIL Albania / Author).

This encounter is crucial for students because it demonstrates, in a away no lecture can, that technical knowledge is not fixed – it is situational. A system performs well only when it has been correctly selected, detailed, coordinated, and installed. The same profile, glass unit, or curtain-wall logic can produce very different results depending on orientation, building type, structural support, climate, maintenance culture, and budget. The façade, in other words, is not an object. It is a relationship, and like most relationships, its success depends on context as much as on the parties involved.

In this sense, the workshop encouraged a form of professional literacy that is often difficult to be perceived inside the classroom alone. Students were not asked simply to memorize systems. They were asked to understand when and why systems are used, what they cost, how long they take to install, and how their performance is evaluated. That combination – technical observation paired with critical judgement – is the necessary foundation for any later conversation about kinetic or adaptive systems. Skip it, and the conversation floats.

From static envelope to adaptive skin

Although the workshop focused mainly on existing window and glass façade systems, it opened onto a larger question: how does a static envelope become an adaptive skin?

At first glance the distinction looks obvious. A static façade is fixed; an adaptive one changes. But the difference is more subtle than that binary suggests. Even conventional façade systems are already forms of environmental response. A thermal break responds to heat transfer. A gasket responds to air and water infiltration. A glass specification responds to daylight, safety, acoustics, and solar gain. A shading element responds to exposure. A profile responds to load and span. The static envelope, properly understood, is not passive – it is a stable answer to changing conditions.

Adaptive façades intensify this logic rather than invent it. They do not introduce the problem of response; they make response visible and dynamic. In kinetic systems, movement becomes part of environmental mediation: panels rotate, screens fold, modules slide, surfaces open and close in step with changing conditions. That movement can be manual, mechanical digital, or hybrid, but its architectural value depends on one thing only – whether it actually improves the relationship between building, user, and environment (Moloney, 2011; Wigginton & Harris, 2002). Motion for its own sake is choreography, not architecture.

The workshop, then becomes a useful entry point for future research. Students first need to understand how façade systems behave when fixed. Only after that can they begin to imagine what happens when the same systems are asked to move, adapt, transform. Without this foundation, kinetic design risks becoming formal spectacle – architecture as performance art. With it, movement can become a disciplined extension of construction knowledge instead.


Tensegrity and fractal g eometriesa as Reoccuring Novelties

The link to tensegrity and fractal geometry grows out of this same passage between stability and transformation. Tensegrity system rest on the equilibrium between discontinuous compression elements and a continuous tension network. Their architectural interest is not only structural efficiency; it is the way they make force, lightness, and balance spatially visible – you can, in a real sense, see the physics holding the thing up. (Motro, 2003; Pugh, 1976). For façade research, tensegrity offers a way to rethink the envelope's supporting logic. Instead of picturing the façade only as a rigid frame carrying panels, one can start to picture it as a field of forces – cables, struts, nodes, pre-stress, and controlled deformation. This is not a claim that every façade should become a tensegrity structure; that would be its own kind of formal spectacle. Rather, tensegrity gives the researcher a way back into an old architectural ambition: stability achieved with less material "less is more", more openness, and greater adaptability. Fractal geometry introduces a different kind of recurrence. Architecture has always worked through repetition – columns, beams, openings, panels, ornaments, screens, and grids. Fractals add hierarchy to that repetition, showing how complex forms emerge from recursive rules and self-similar patterns (Mandelbrot, 1982). This is especially relevant to façade design because the envelope is simultaneously unit and field. One module matters on its own terms, but so does the larger pattern produced once many modules are read together. Linked to kinetic thinking, fractal logic can help organize movement across scales. A single element rotates or folds, while the façade as a whole produces a larger rhythm of light, shade, porosity, opacity. Once again, the novelty here is not absolute – it is the return of older architectural themes (rhythm, proportion, modulation, ornament, environmental control) filtered through contemporary

geometry, computation, and material systems. The vocabulary changes; the grammar underneath is stubbornly familiar.

Toward a pedagogy of adaptive façades

The workshop points to a useful pedagogical model for façade education more broadly: start from reality, then move toward speculation – not the other way around. Students first met actual systems, industrial production, applied details, technical parameters. Only on that basis does it become possible to ask more ambitious questions. How could a fixed façade module become a moving one? How could a standard profile take part in a transformable system? How might curtain-wall logic be reinterpreted through tensegrity? How could fractal repetition support shading, ventilation, or visual permeability? These questions are not detached from practice – they depend on it entirely. The future of adaptive façades will not come






Figure 4: Final student presentations and technical discussion of selected window and glass façade systems. (Image © POLIS University / ALUMIL Albania / Author).

only from digital simulations or conceptual diagrams. It will also come from factories, catalogues, details, workshops, prototypes, construction sites, and collaborations between universities and industry. In that light, the experience with ALUMIL Albania was not simply a partnership; it was a reminder that architectural education gets stronger, not weaker, when it meets the intelligence already embedded in production. For Albania and the wider regional context, this point carries some weight. Advanced façade research does not have to be understood as something imported wholesale from global examples. It can also grow locally – from academic initiatives, from collaboration with established industrial actors, and from students who learn to see the building envelope as both a technical system and a field of invention.

Conclusion: the novelty of returning

The façade keeps coming back because the problems it addresses never actually leave. Architecture will always have to mediate between interior and exterior, permanence and change, protection and openness, structure and atmosphere. What changes are the tools, material, systems, and forms through which that mediation gets attempted – the costume changes; the character underneath does not. The workshop developed during Tirana Architecture Week 2024, offered a concrete way into this continuity. Through lectures, visits, group analysis, and final presentations, students met the façade as a real construction system rather than an abstraction. They learned that the building skin is not a neutral surface but a dense interface where performance, detail, cost, installation, and architectural expression all have to be settled at once. At the same time, the workshop opened onto a wider research horizon. Kinetic façades, tensegrity systems, and fractal geometries can be read as extensions of the same recurring questions already at work in conventional façade systems. They are renewed attempts to make the envelope lighter, smarter, more responsive, and more attentive to its relationship with environment and user. The passage from static envelope to adaptive skin, then calls for neither rejection nor infatuation. It calls for continuity, criticism, and technical imagination – in that order. The static façade teaches the discipline of construction. The adaptive skin projects that discipline forward, toward movement and transformation. Between the two sits the real space of reoccurring novelty: the moment an old architectural question becomes visible again, as if for the first time.

Acknowledgement

This text is based on the author's teaching experience, workshop documentation, and ongoing doctoral research interests. AI-assisted tools were used for language refinement, translation support, and academic phrasing adaption; the conceptual position, workshop experience, and critical interpretation remain the responsibility of the author.

References

Alphabetical order

1. Fox, M., & Kemp, M. (2009). *Interactive architecture.* Princeton Architectural Press.
2. Knaack, U., Klein, T., Bilow, M., & Auer, T. (2007). *Façades: Principles of construction. Birkhäuser.*
3. Mandelbrot, B. B. (1982). *The fractal geometry of nature*. W. H. Freeman.
4. Moloney, J. (2011). Designing kinetics for architectural facades: State change. Routledge.
5. Motro, R. (2003). T*ensegrity: Structural systems for the future*. Kogan Page Science.
6. Pugh, A. (1976). *An introduction to tensegrity.* University of California Press.
7. Wigginton, M., & Harris, J. (2002). *Intelligent skins.* Butterworth-Heinemann.

Invited Papers